Contents of Volume 47 · 2001/2002

Abadie MJM → Pantiru M
Acosta JL → del Río C
Aliev R: Hydrophilicity and surface energy of polyethylene modified by radiation grafting of acrylamide 99
Aliev R → Bucio E
Announcement 207
Aqeel S, Lath D, Lathová E, Pavlinec J, Lacík I: Solution properties of poly(n-hexyl methacrylate) in homologous series of n-alkanes 563

Banthia AK → Ghosh S
Baohua L → Min Z
Beguin F → Kempinski W
Bruma M → Hamciuc C
Boiteux G → Gruber A
Boutti S → Schneider M
Brittain W → Martin EH
Bucio E, Aliev R, Burillo G: Radiation grafting of N,N-dimethylaminoethylmethacrylate and 4-vinylpyridine onto polypropylene by the one- and two-step methods 571
Burillo G → Bucio E

Calderara F → Stumbé J-F
Campana-Filho SP → Cardoso MB
Cardoso MB, Signini R, Campana-Filho SP: On the sonication of chitin: effects on its structure and morphology and influence on its deacetylation 183
Ceccorulli G, Pizzoli M: Effect of water on the relaxation spectrum of poly(methyl methacrylate) 283
Chang SW, Hong J-M, Hong JW, Cho HN: Synthesis and characterization of fluorene-based electroluminescent polymers containing silyl groups 231
Chang J-H, Park D-K: Various organo-clays based nanocomposites of poly(ethylene terephthalate-co-ethylene naphthalate) 191
Chen W-Y → Pramoda KP
Cheng L → Wang J
Chung TS → Pramoda KP
Chen Q → Fang Y
Cho HN → Chang SW
Cianga I, Yagci Y: Polystyrene macromonomer with boronic acid propanediol diester functionality prepared by ATRP for synthesis of comb-like polyphenylenes 17

Da Silva SLA, De Barros GG: Ionic conductivity of swollen LDPE/poly(4-vinylpyridine) blend 579
De Barros GG → Da Silva SLA
del Río C, Olivares N, Acosta JL: Electrogeneration kinetics of polyaniline in the presence of lithium perchlorate 65
del Val JJ → Guarrotxena N
de Souza MO → Gruber AS
de Souza RF → Gruber AS
Donderer M, Langstein G, Schäfer M, Nuyken O: A combined radical/cationic synthetic route for poly(styrene-g-isobutylene) and poly(styrene-g-isobutylene-co-isoprene) 509
Duclaux L → Kempinski W

Ekinci E → Inan TY
Espinoza-Gómez H, Lin SW: Development of ultrafiltration membranes from acrylonitrile copolymers 297
Fan Q → Zhao J
Fang Y, Zhu X, Yan D, Chen Q: Studies on the crystalline intercalate formed by poly(ethylene oxide) and two different kinds of guest molecules 291
Faragalla MM, Hill DJT, Whittaker AK: The copolymerization of N-vinyl-2-pyrrolidone with 2-hydroxyethyl methacrylate 421

Fomina L → Salazar R
Fomine S → Salazar R
Fujiwara H: Mechanochemical synthesis and characterization of poly(vinyl chloride) –block– poly(acrylonitrile–co–butadiene) copolymers by ultrasonic irradiation 247
Fukushima Y: Fluoroscent properties of 22,24-diprotonated 5,10,15,20-tetrakis(4sulfonatophenyl)porphyrin interacting with a β-sheet structure of a zwitterionic polypeptide 555
Fukushima T → Oyama T

Gang Q → Min Z
Ghosh S, Banthia AK: Synthesis of novel polyamidoamine (PAMAM) side chain dendritic oligourethane architecture 143
Gomez CG, Strumia MC: Synthesis of a triacrylat cross-linking agent and its use in the preparation of macroporous polymers 261
Gordillo A → Sánchez-Soto M
Graillat C → Schneider M
Gruber AS, Boiteux G, de Souza RF, de Souza MO: Synthesis of semiconducting polyphenylacetylene catalyzed by $Ni(MeCN)_6(BF_4)_2$/$AlEt_2Cl$ 529
Guanying W → Yuhong M
Guarrotxena N, del Val JJ, Millán J: On the coupling in molecular motions: A novel molecular microstructure approach to the physical meaning of the Ngai's coupling parameter 105

Güngör A → Inan TY
Gunaydin O, Toppare L, Yagci Y, Harabagiu V, Pintela M, Simionescu BC: Synthesis of conducting polysiloxane – polypyrrole graft copolymers 501
Guo C → Mi X

Hamaide T → Vuluga DM
Hamciuc C, Hamciuc E, Bruma M, Klapper M, Pakula T: New aromatic poly(ether-ketone)s containing hexafluoroisopropylidene 1
Hamciuc E → Hamciuc C
Harabagiu V → Gunaydin O
Harris FW → Klein DJ
Heo H → Lim KT
Hernández S, Ogawa T: Diacetylene-containing polymers. XI. Synthesis and characterization of poly(hexa-2,4-diynylene-1,6-dioxydibenzoate) and poly(octa-3,5-diynylene-1,8-dicarboxylate) containing p-nitroaniline groups 127
Hill DJT → Faragalla MM
Höhne S, Spange S, Schrepp W: Cationic polymerization of 2-vinylthiophene – the polymer structure formation 31
Hong J-M → Chang SW
Hong JW → Chang SW
Hong J-W → Kim Y-B
Hong S-S → Lim KT
Hou X, Wu L, Sun L, Zhang H, Yang B, Shen J: Covalent attachment of deoxyribonucleic acid (DNA) to diazo-resin (DAR) in self-assembled multilayer films 445
Hu Y → Mi X
Huffman BS, Schultz RA, Schlom PJ: Novel reagents for heat-activated polymer cross-linking 159
Huskić M, Zigon M: Side-chain polyesters derived from adipoyl chloride and α-(bis(2-hydroxyethyl)amino)-ω-(4'-methoxybiphenyl-4-oxy) alkanes 209
Hwang HS → Lim KT

Iijima T → Oyama T
Inan TY, Ekinci E, Kuyulu A, Güngör A: Preparation of novel UV-curable methacrylated urethane resins from a modified epoxy resin and isocyanatoethyl-methacrylate (IEM) 437
Inoue K, Inoue Y: Synthesis of cylindrical polyamides from hexakis (4-carboxyphenoxy)cyclotriphosphazene and p-xylyenediamine 239
Inoue Y → Inoue K
Isikver Y → Saraydin D
Isikver Y, Saraydin D, Sahiner N: Poly(hydroxamic acid) hydrogels from poly(acrylamide): prepara-tion and charaterization 71
Itoh T → Kubo M
Janiak C, Lassahn P-G: Concentration effects of methylalumoxane, palladium and nickel precatalyst and monomer in the vinyl polymerization of norbornene 539
Jung SH, Park SH, Lee DH, Kim SD: Surface modification of HDPE powders by oxygen plasma in a circulating fluidized bed reactor 199

Kajiwara K → Thành TTT
Kang Hs → Shin MS
Kang H-A, Shin MS, Yang J-W: Preparation and characterization of hydrophobically modified alginate 429
Kawakami Y → Oyama T
Ke Y → Mi X
Kennedy JP → Moustafa AF
Kempinski W, Duclaux L, Stankowski J, Beguin F: Instabilities of intercalated graphite structures – EPR oscillations 39
Khunová V, Liauw CM: Tailoring of interphase structure in highly filled poly(propene) block copolymer via reactive processing 465
Kim B-S → Klein DJ
Kim C-H → Lee Y-G
Kim H-K → Kim Y-B
Kim SD → Jung SH
Kim Y-B, Park J-M, Kim H-K, Hong J-W: UV curable acrylic dispersion for the cationic electro-deposition coating 313
Klein DJ, Kim B-S, Harris FW: Synthesis of poly(aryl ether phenylquinoxaline) via Ullmann ether condensation of chlorine-substituted A-B quinoxaline monomers 217
Klapper M → Hamciuc C
Klapper M → Nenov N
Koch M → Nenov N
Kondo T → Sekiguchi Y
Kubo M, Yamamoto H, Uno T, Itoh T, Sato H: Synthesis of cyclic poly(methyl methacrylate) by the intramolecular cyclization of α-amino, ω-carboxyl heterodifunctional poly(methyl methacrylate) 25
Kusunoki T → Li D
Kuyulu A → Inan TY

Lacík I → Aqeel S
Langstein G → Donderer M
Lassahn P-G → Janiak C
Lath D → Aqeel S
Lathová E→ Aqeel S
Lee DH → Jung SH
Lee MY → Lim KT
Lee Y-G, Kim C-H, Park J-K, Seung D-Y: Lithium sulfonated styrene oligomer (LiSSO) as a new class of lithium salt for polymer electrolytes 167

Li D, Kusunoki T, Yamagishi T-A, Nakamoto Y: Synthesis of C-unalkylated calix[4]resorcinarene from 1,3-dimethoxybenzene-formaldehyde condensation 493
Li W → Wang J
Liauw CM → Khunová V
Liban C → Min Z
Lim KT, Lee MY, Hwang HS, Heo H, Hong S-S, Park JM: Synthesis and properties of well-defined poly (dimethylsiloxane)-b-poly(2-hydroxyethyl methacrylate) copolymers 135
Lin SW → Espinoza-Gómez H
Lin Y → Pramoda KP

Martin EH, Brittain W: A convenient laboratory preparation of aromatic polycarbonate 517
Martínez AB → Sánchez-Soto M
Maspoch MLL → Sánchez-Soto M
McKenna TF → Schneider M
Millán J → Guarrotxena N,
Mi X, Xu D, Yan W, Guo C, Ke Y, Hu Y: Preparation of polynorbornene with β-diketonate titanium/MAO catalysts 521
Min Z, Liban C, Baohua L, Zhairong Y, Gang Q, Zhoumei L: A novel zinc diimide catalyst for copolymerization of CO2 and cyclohexene oxide 255
Moustafa AF, Yankovski SA, Kennedy JP: Synthesis and characterization of novel octa-arm polyisobutylene star 9
Müller AJ → Torres MF
Müllen K → Nenov N

Nakamoto Y → Li D
Nakanishi T, Norisuye T: Order-disorder conformation change of succinoglycan in aqueous sodium chloride as studied by static and dynamic light scattering 47
Nenov N, Koch M, Klapper M, Müllen K: PEO-functionalized polystyrene as polymeric support in metallocene catalysed olefin polymerization 391
Norisuye T → Nakanishi T
Novat C → Vuluga DM
Nuyken O → Donderer M
Nzimba-Ganyanad E → Zydowicz N

Oishi T, Yoshikawa M, Yamasaki H, Onimura K, Tsutsumi H: Synthesis and polymerization of novel methacrylate having glycerophosphorylcholine 415
Oishi T, Yoshimura Y, Yamasaki H, Onimura K, Tsutsumi H: Synthesis and polymerization of methacrylate bearing a phosphorylcholine analogous moiety 121
Olivares N → del Río C
Onimura K → Oishi T
Ogawa T → Hernández SPark JM → Lim KT
Oyama T, Kawakami Y, Fukushima T, Iijima T, Tomoi M: Photosensitive polycarbonates based on reaction development patterning (RDP) 175

Pantiru M, Vuluga DM, Vasilescu DS, Abadie MJM: Study of the cationic photopolymerization kinetics of cyclic acetals 485
Pantiru M → Vuluga DM
Park D-K → Chang J-H
Park J-K → Lee Y-G
Park J-M → Kim Y-B
Park SH → Jung SH
Park TG → Shin MS
Pavlinec J → Aqeel S
Pintela M → Gunaydin O
Pizzoli M → Ceccorulli G
Pramoda KP, Lin Y, Chen W-Y, Chung TS: Study of curing kinetics of ladder-like polyepoxysiloxane 55

Riess G → Stumbé J-F
Ruckenstein E, Zhang H: Well-defined poly(2-hydroxyethyl methacrylate) and its amphiphilic block copolymers via acidolysis of anionically synthesized poly(2-vinyloxyethyl methacrylate) 113

Sáez AE → Torres MF
Sahiner N → Isikver Y
Sahiner N → Saraydin D
Salazar R, Fomina L, Fomine S: Functionalized polyglycidol-CuCl-complexes as catalysts in the oxidative coupling reaction of terminal acetylenes 151
Sánchez-Soto M, Gordillo A, Maspoch MLL, Velasco JI, Santana OO, Martínez AB: Glass bead filled polystyrene composites: morphology and fracture 587
Santana OO → Sánchez-Soto M
Saraydin D, Isikver Y, Sahiner N: Uranyl binding properties of poly(hydroxamic acid) hydrogels 81
Saraydin D → Isikver Y
Sato H → Kubo M
Sawatari C → Sekiguchi Y
Schäfer M → Donderer M
Schlom PJ → Huffman BS
Spange S → Höhne S
Schneider M, Graillat C, Boutti S, McKenna TF: Decomposition of APS and H_2O_2 for emulsion polymerisation 269
Schrepp W → Höhne S
Schultz RA → Huffman BS
Seung D-Y → Lee Y-G

Sekiguchi Y, Sawatari C, Kondo T: A facile method of determination for distribution of the substituent in O-methylcelluloses using 1H-NMR spectroscopy 547
Shen J → Hou X
Shin MS, Kang Hs, Park TG, Yang J-W: Synthesis and characterization of pH/temperature-sensitive hydrogels based on chitosan derivative 451
Shin MS → Kang H-A
Signini R → Cardoso MB
Stankowski J → Kempinski W
Simionescu BC → Gunaydin O
Su Z → Wang J
Strumia MC → Gomez CG
Stumbé J-F, Calderara F, Riess G: Synthesis of poly(methylmethacrylate)-g-poly(dimethyl siloxane) graft copolymers via a miniemulsion process 277
Sun L → Hou X

Takano R → Thành TTT
Thành TTT, Yasunaga H, Takano R, Urakawa H, Kajiwara K: Molecular characteristics and gelling properties of carrageenan family 2. Tri-sulfated and tetra-sulfated carrageenans 305
Tsutsumi H → Oishi T
Tomoi M → Oyama T
Toppare L → Gunaydin O
Torres MF, Müller AJ, Sáez AE: Effect of ethanol addition on the elongational flow behavior of aqueous solutions of poly(ethylene oxide) 475

Uno T → Kubo M
Urakawa H → Thành TTT

Vasilescu DS → Pantiru M
Velasco JI → Sánchez-Soto M
Vuluga DM, Hamaide T, Pantiru M, Novat C: Heterogeneous cationic polymerization of 1,3-dioxolane and 1,3-dioxepane using grafted BF3 on silica 399
Vuluga DM → Pantiru M

Wang J, Zheng J, Cheng L, Li W, Su Z: Preparation of new polymer from podophyllotoxin derivative 223
Wantai Y → Yuhong M
Whittaker AK → Faragalla MM
Wu L → Hou XXu D → Mi X

Xu D → Mi X

Yagci Y → Cianga I
Yagci Y → Gunaydin O
Yamagishi T-A → Li D
Yamamoto H → Kubo M
Yamasaki H → Oishi T
Yan D → Fang Y
Yan W → Mi X
Yang B → Hou X
Yang J-W → Shin MS
Yang J-W → Kang H-A
Yankovski SA → Moustafa AF
Yasunaga H → Thành TTT
Yoshikawa M → Oishi T
Yoshimura Y → Oishi T
Yuhong M, Guanying W, Wantai Y: Synthesis of functional polyisobutene I. Copolymerization of isobutene with 4-vinylbenzyl N,N-diethyldithiocarbamate 407

Zhairong Y → Min Z
Zhang H → Hou X
Zhang H → Ruckenstein E
Zhao J, Fan Q: Amorphous phase in atactic polystyrene 91
Zheng J → Wang J
Zhoumei L → Min Z
Zhu X → Fang Y
Zigon M → Huskić M
Zydowicz N, Nzimba-Ganyanad E, Zydowicz N: PMMA microcapsules containing water-soluble dyes obtained by double emulsion/solvent evaporation technique 457
Zydowicz N → Zydowicz N

Subject Index

A-B quinoxaline monomers, chlorine-substituted 217
Acetals, cyclic 485
Acetylenes, terminal 151
Acrylamide, γ-radiation grafting 99
Acrylonitrile-vinyl acetate 297
4α-Acrylpodophyllotoxin 223
Adhesives, epoxy resins 55
Adipoyl chloride 209
Aging, atactic polystyrene 91
Alginate, hydrophobically modified 429
Alginate-derived polymeric surfactants 429
Alkanes 563
Ammonium persulfate 269
Anhydroglucose 547
Antithrombogenesity 121
Antitumor drugs 223
APS 269
Aspergillus niger 429
ATRP 17

Bacteria attachment 297
Beads 587
Benzene-2,5-dibromomethyl-1,4-bis(boronic acid propanediol diester) 17
BF_3 on silica 399
Bicyclo[2.2.1]heptene-2 521
α-(Bis(2-hydroxyethyl)amino)-ω-(4'-methoxybiphenyl-4-oxy) alkanes 209
1,3-Bis(3-aminopropyl)tetramethyldisiloxane 55
2,2-Bis[4-(4-fluorobenzoylphenyl)hexafluoropropane] 1
Blood flow 375
Bovine serum albulin 415
n-Butyl methacrylate 415

C-pentyl-calix[4]1,3-dicumyl alcoholarene 9
C_8K 39
Calix[4]resorcinarene, C-unalkylated 493
Carbon dioxide/cyclohexene oxide 255
Carrageenans, sulfated 305
Celluloses, regioselectively methylated 547
Chitin, sonication, deacetylation 183
Chitosans 183
–, maleilated 451
Circulating fluidized bed (CFB) reactor 199
Clay 191
Coating, environmentally friendly 313
Complexation, uranyl ion 81
Conducting polymer 65
Conductivity 579
Core-shell dispersion 343
Crosslinking, heat-activated 159
CuBr/2,2'-bipyridine 17
Cyclohexene carbonate 255
Cyclohexene oxide 255

DEGDA 437
Dendrimers 143
Deoxyribonucleic acid (DNA) 445
DETA 105
Diacetylene-containing polymers 127
2,3-Dialdehydic alginate 429
Diazoresin 445
Diazonaphthoquinone 175
1,4-Dibromo-2,5-dimethylbenzene 17
Dibromobenzene 291
Dibutyl tindilaurate 143
Dibutyltin dilaurate 437
Dichlorobenzene/dibromobenzene 291
Diethylene glycol dimethacrylate 437
β-Diketonate titanium/MAO 521
1,3-Dimethoxybenzene formaldehyde 493
Dimethyl siloxane 135
Dimethyl-methylhydrosiloxane 501
N,N-Dimethylaminoethylmethacrylate 571
4-Dimethylaminopyridine 517
1,3-Dioxepane 399, 485
1,3-Dioxolane 399, 485
DMAEMA 571
DNA 445
Dodecylbenzenesulfonic acid 343
Dodecyltrimethyl ammonium-MMT 191
Domains, folding/unfolding 351
Double emulsion/solvent evaporation 457
Dye encapsulation 457
Dynamic light scattering 47

Electrodeposition coating 313
Electroluminescent polymers, fluorene-based 231
Electrolytes 65, 167
Emulsion polymerization, free radical initiator 269
Encapsulation 457
Endothelial cells, vascular, elasticity 375
Epoxy resins, adhesives 55
Ethanolamine 175
Ethene 391
Ethyleneglycol dimethacrylate 71
Extension thickening 475

Fillers 587
Fluorene-based copolymers 231
Fracture 587

Gel, polyacrylamide 359
–, poly(*N*-isopropylacrylamide) 367
Gelatin gels, vascular endothelial cells 375
Glucopyranose 547
sn-3-Glycero-phosphorylcholine 415
Graft copolymers 277
Graphite, intercalated 39

HDPE powders, surface modification 199
HEMA 113, 261, 421
Hexadecylamine-montmorillonite 191
Hexafuoroisopropylidene 1
Hexakis(4-carboxyphenoxy)cyclotriphosphazene 239
HOPG-potassium 39
Hydrogels 71, 421
–, pH/temperature-sensitive 451
–, polyelectrolyte 367
Hydrophobic/hydrophilic segments 135
2-Hydroxyethyl methacrylate (HEMA) 135, 261, 421
Hyperbranched polymers 151

Intercalate 291
Ion exchange resins 71
Ionic conductivity 579
Isobutene/4-vinylbenzyl *N,N*-diethyldithiocarbamate 407
Isobutylene 509
Isocyanatoethylmethacrylate 437
Isoprene 509
N-Isopropylacrylamide 367, 451

Layer-by-layer adsorption process 337
LDPE, acrylamide 99
- /poly(4-vinylpyridine) 579
Light emitting diode 231
LiSSO 167
Lithium batteries, rechargeable 167
Lithium perchlorate 65
Lithium sulfonated styrene oligomer 167
Lower critical solution temperature 451

Maleilated chitosan 451
Membrane separation systems 297
Membranes, hydrophobic polymeric 297
Metalloporphyrins 555
Methacrylate, glycerophosphorylcholine 415
–, phosphorylcholine 121
Methacrylic oxyethyl isocyanate 313
2-Methacryloyloxyethyl isocyanate 415
2-Methacryloyloxyethyl phosphprylcholine 121
Methyl methacrylate 25
Methylalumoxane (MAO) 539

O-Methylcelluloses 547
N,N'-Methylene bisacrylamide 71
Microcapsules 457
Microgel, nonaqueous conductive 343
Miniemulsion 277
Multilayer films, self-assembled 445

Ngai's coupling parameter 105
Nickel pre-catalyst 539
Nitrile oxides, cycloaddition 159
2,2',2''-Nitrilotriethyl triacrylate 261
Nitroaniline 127
p-Nitrophenyl chloroformate 517
NMR 383
Norbornene 521
–, vinyl polymerization 539
Nuclear quadrupolar interactions 383

Olefin polymerization, metallocene catalyzed 391
Oligoesters, partially fluorinated photocurable solventless 321
Oligourethane, side chain dendritic 143
Organo-clays 191
Oxygen plasma 199

PAAm 71, 81, 359
Palladium pre-catalyst 539
PAMAM 143
PAN-membrane 297
PANI-DBSA 343
PAPHEN-301 437
PDMS 135
Pentaerythritol triacrylate (PETA) 313
PEO 291, 475
- /LiSSO 167
PEO-PDCL/PDBB 291
PETA 313
PETN 191
PHA 71, 81
Phenylacetylene 151
–, dicationic nickel/AlEt2Cl 529
Phenylene bismaleimide 465
1,3-Phenylene dimaleimide 465
PHMA 563
Phosgene 517
Phosphorylcholine 121
Photocurable liquid oligoesters 321
Photopolymerization, cationic, cyclic acetals 485
PIB arms 9
Platelet adhesion 415
PMMA, microcapsules 457
–, relaxation behavior 283

PMMA-g-PDMS 277
Podophyllotoxin 223
Poly(acrylamide) 71, 81
Poly(acrylonitrile-co-butadiene) 247
Poly(aniline)/DBSA 343
Poly(aryl ether phenylquinoxaline) 217
Poly(bisphenol A carbonate) 175
Poly(butadiene) networks 383
Poly(diallydimethylammonium chloride) 337
Poly(dimethylsiloxane)-b-poly(2-hydroxyethyl methacrylate) 135
Poly(ether-ketone)s 1
Poly(ethylene oxide), crystalline intercalate 291
–, aqueous solutions 475
Poly(ethylene terephthalate-co-ethylene naphthalate) 191
Poly(Glu-Val-Lys-Val) 555
Poly(HEMA) 113
Poly(hexa-2,4-diynylene-1,6-dioxydibenzoate) 127
Poly(n-hexyl methacrylate), solution properties 563
Poly(hydroxamic acid) hydrogels 71
– –, uranyl ion 81
Poly(5-hydroxyethoxyisophthalic acid) 337
Poly(2-hydroxyethyl methacrylate) 113
Poly(methyl methacrylate), α-amino, ω-carboxyl heterodifunctional 25
–, cyclic 25
–, relaxation spectrum 283
Poly(methyl methacrylate)-*g*-poly(dimethyl siloxane) 277
Poly(octa-3,5-diynylene-1,8-dicarboxylate) 127
Poly(phenylquinoxalines) 217
Poly(propene) block, highly filled 465
Poly(styrene-*co*-2-acetoxy-2-(4-vinylphenyl) propane) 509
Poly(styrene-*g*-isobutylene) 509
Poly(styrene-*g*-isobutylene-co-isoprene) 509
Poly(VEMA) 113
Poly(vinyl chloride) 105
Poly(vinyl chloride)-*b*-poly(acrylonitrile-co-butadiene) 247
Poly(2-vinyloxyethyl methacrylate) 113
Polyacrylamide gel 359
Polyamides, cylindrical 239
Polyamidoamine 143
Polyaniline, electrogeneration 65
Polycarbonate 255
–, aromatic 517
–, photosensitive 175
Polydimethylsiloxane, aminophenyl functional 501
Polyelectrolyte hydrogels 367
Polyepoxysiloxane, ladder-like 55
Polyesters, aryl-alkyl hyperbranched 337
–, side-chain 209
Polyethylene 99
Polyethyleneoxide-monomethylether 391
Polyglycidol-CuCl-complexes 151
Polyimide 175
Polyisobutene, functional 407
Polyisobutylene star, octa-arm 9
Polynorbornene, β-diketonate titanium/MAO 521
Polypeptides 555
Polyphenylacetylene, semiconducting 529
Polyphenylenes, comb-like 17
Polypropene 391
Polypropylene 571
Polypyrrole 501
Polysaccharides, charged 47
–, sulfated 305
Polysiloxane-polypyrrole, conducting 501
Polystyrene 17
–, atactic 91
–, composites, glass bead filled 587
–, PEO-functionalized 391
Porous media 475
Porphyrins 555
Potassium nitrate 359
Propene 391
Protein adsorption 297, 415
PVC 105

Quadrupolar interactions 383
Quinoxalines 217

Radiation curable coating 437
Radiation grafting 571
– –, acrylamide 99
Reaction development patterning (RDP) 175
Relaxation 283
Resorcinol 493
RF-plasma-enhanced approach 329

Self-stratifying polymeric systems 321
Semi-dilute solutions 475
Side-chain polyesters 209
Solvent evaporation technique 457
Star, octa-telechelic 9
Styrene 17
Styrene oligomer, lithium sulfonated 167
Succinoglycan 47
Surface energy 321
Surface-functionalization 329
Surfactants 429

Swelling 367
Swelling changes 351

Tetrabutylammonium tetrafluoroborate 501
5,10,15,20-Tetrakis(4-sulfonatophenyl)porphyrin 555
Thermoset resins 127
Thiophene 31
TMS-HEMA 135
p-Toluene sulfonic acid 501
Triacrylate crosslinking agent 261
1,3,6-Trioxocane 485

Ullmann ether condensation 217
Ultrafiltration membranes 297
Unfolding domains 351
Uranyl ion 81
Urethane resins, methacrylated 437
UV curable coatings 437

Vascular endothelial cells, elasticity 375
Vascular endothelial cells 375
4-Vinyl aniline 501
N-Vinyl-2-pyrrolidone/2-hydroxyethyl methacrylate 421
N-Vinyl-2-pyrrolidone 437
4-Vinylbenzyl *N,N*-diethyldithiocarbamate 407
2-Vinyloxyethyl methacrylate (VEMA) 113
Vinylpyridine 571, 579
2-Vinylthiophene 31

Water purification 297

p-Xylyenediamine 239

Zinc diimide, novel 255